

## domain name---

Posted by chrissy6930 - 2009/10/17 09:17

---

hi there,

I have created a template and have now created a slave using it

however instead of

[http://{site\\_url}/multisites/{site\\_id}](http://{site_url}/multisites/{site_id})

I would like to use

[http://{site\\_url}/creators/{site\\_id}](http://{site_url}/creators/{site_id})

as the domain name

only what would I need to do to getting this to work?

so far it is returning the error 'The page isn't redirecting properly'

---

## Re:domain name---

Posted by edwin2win - 2009/10/17 10:24

---

Again like in your previous post with 403, follow the same procedure.

- Check the URL
- Check that you can access the URL with a hello word
- Once you are sure of your URL, check that you have deployed the slave site in the corresponding directory (that is displayed by hello word).
- Review your JMS definition according to all the previous infos collected.

Review also the video and listen them carefully.

---

## Re:domain name---

Posted by chrissy6930 - 2009/10/17 11:13

---

well I have deployed it to

[{root}/multisites/{site\\_id}]({root}/multisites/{site_id})

and when checking the hello.txt

on the the domain

{site\_url}/multisites/{site\_id}  
it returns 'hello world (chrissy6930)

while on the domain  
{site\_url}/creators/{site\_id}  
the error  
The requested URL /testing-jms/creators/chrissy6930/hello.txt was not found on this server.  
is being displayed

however its the latter domain name I would like to use

---

### **Re:domain name---**

Posted by edwin2win - 2009/10/17 12:38

---

If the URL is {site\_url}/creators/{site\_id}  
Then you have to deploy in this directory and not in another one.

{root}/creators/{site\_id}

---

### **Re:domain name---**

Posted by chrissy6930 - 2009/10/17 12:52

---

ahhh! would I need to create that folder first or will it be as soon as I deploy to that directory? or would it work by merely renaming folder multisites?

---

### **Re:domain name---**

Posted by chrissy6930 - 2009/10/17 13:10

---

hm!

I have now tried

editing slave adjusting deployed folder to

{root}/creators/{site\_id}

returns the error

The deployed directory ../htdocs/testing-jms/creators/chrissy6930] does not exists.

if instead I first create folder 'creators' in the root first and then edit the slave adjusting the deployed folder as above I would get the same error

could you please advice how to properly deploy to folder 'creators' ?

---

### **Re:domain name---**

Posted by edwin2win - 2009/10/17 13:51

---

All I can tell you is to review the video CP-04 that show you all the step of the creation and what you have to check.

If you don't deploy the slave site in the correct directory that is the one that you can discover yourself with the "hello.php" and that I have already explained twice to you then I can only suggest you is to order our billable support on

[http://www.jms2win.com/download?page=shop.product\\_details&flypage=flypage.tpl&product\\_id=35&category\\_id=1](http://www.jms2win.com/download?page=shop.product_details&flypage=flypage.tpl&product_id=35&category_id=1)

For the last time, I repeat again.

- Place a file like the hello.txt into the directory where you think the domain should reply
- Once you know this directory, deploy the slave site into this directory
- Check that you have correctly deployed everything in this directory.

If you were able to launch the "hello.php" in this directory, you can also launch the "index.php".

---