

## Do multisite component work with subfolders?

Posted by Striker8472 - 2010/12/07 10:48

---

I am interested in component multisite. I read the manual but my question is still open. Do the component work with only one domain? I won't use more than one domain or subdomains. I want use subfolders. Is that possible? Let me show you what I mean:

Domain structure:

Master: www.mydomain.ltd/  
Slave1: www.mydomain.ltd/slave1/  
Slave2: www.mydomain.ltd/slave2/  
Slave3: www.mydomain.ltd/slave3/  
...

Databases on same sql server:

DB\_Master: jos\_tables  
DB\_Slave2: jos\_tables  
DB\_Slave3: jos\_tables  
DB\_Slave4: jos\_tables  
...

Folder structure:

varhostsmaster  
varhostsslave1  
varhostsslave2  
varhostsslave3  
...

Thanks for advice. :woohoo:

=====

## Re: Do multisite component work with subfolders?

Posted by edwin2win - 2010/12/07 12:52

---

YES as explained in the product detail

<http://www.jms2win.com/download>

JMS Multisites is able to parse URL with domain, subdomains and subdirectories.  
All the possibilities are availables.

So yes you can decide to have slave site like [www.domain.com/slave](http://www.domain.com/slave)

In your sample, you have inconsistency between the URL that you mentioned and the directory structure.

If your master ([www.domain.tld](http://www.domain.tld)) is located in directory varhostsmaster then the subdirectories will be located in varhostsmasterslaveX

and not beside the master as mentioned.

This will be a subdirectory of your master.

=====