

## my first slave site in subdomain

Posted by drjazzyc - 2012/06/09 07:22

---

Hello Edwin

i use your extension in my subdomain

we use goddady server and in that symbolic link is not work so in template rule creation there is no option like deploy folder path.

joomla 1.5 JMS 1.2.90

main domain : <http://multiinfotech.com>

in this domain we install your extension  
subdomain : <http://property3.multiinfotech.com>

now i want to create my first salve site.

<http://property4.multiinfotech.com>

i also read your <http://www.jms2win.com/en/component/content/article/78>

then also when i move to my <http://property4.multiinfotech.com> it show me the our main site.

plz give me some help

Thanks

=====

## Re: my first slave site in subdomain

Posted by edwin2win - 2012/06/09 10:20

---

Which kind of godaddy do you use?  
Do you use a shared hosting or VPS, or dedicated server ?  
Do you use a linux or windows platform ?

Check the global configuration.  
If you have use the Godaddy "fantastico" to install Joomla it is probable that Godaddy setup the global configuration with a logs and tmps directories where you don't have write permission.  
Verify the Global Configuration to update the LOGS and TMP directories.

To know the value that should be there, go in JMS, create new slave site, and there you will find the "master directory".  
The expected values are the /tmp and /logs

See also the tutorial video 6 and read the comments in the description of the video.  
<http://www.jms2win.com/en/tutorial#jms12x-6>

Once the symbolic link is allowed, you will be able to setup JMS with the same value than the one that you setup in godaddy.

When you create a subdomain in godaddy, you have to specify a location on the disk.

When you have created the subdomain in godaddy in a specific directory, put a hello.php file in this directory (see video 7)

Use a browser to execute the script

Here your [property3.multiinfotech.com/hello.php](http://property3.multiinfotech.com/hello.php)

This will display you the path that must be used in the JMS deploy directory.

When you have the subdomain defined in godaddy and that you know the path, you can create the slave site like in video CP-04

<http://www.jms2win.com/en/tutorial#jms12x-CP-04>

=====

## Re: my first slave site in subdomain

Posted by drjazzyc - 2012/06/09 10:46

---

Hello Edwin

thanks for your reply

our goddady server is Shared Hosting server and its window based

we checked for Symbolic link you can see that <http://property3.multiinfotech.com/hello.php>

in our server Symbolic link is not supported. its necessary for or not.

in that its show me the D:hosting8977566htmlproperty3 path

and that same path i also put it on logs and tmp folders

D:hosting8977566htmlproperty3logs

D:hosting8977566htmlproperty3tmp

and also both folder have 777 permission also

and without Symbolic link how can we do that.

Thanks

=====

## Re: my first slave site in subdomain

Posted by edwin2win - 2012/06/10 23:35

---

On windows, the symbolic link is not allowed.

In this case, the only solution is to assign the same directory for all the subdomains in godaddy. In this case, the path for the subdomain

property4.multiinfotech.com  
MUST be  
D:hosting8977566htmlproperty3

the same as the property3

The concept of JMS is to share the same joomla application (installation).  
If you can not use the Symbolic Link to allow jms create link to the same joomla then you have to specify yourself that all the domains and subdomains point to the same directory.

=====

## Re: my first slave site in subdomain

Posted by drjazzyc - 2012/06/11 06:04

---

hello edwin

thank you very very much i do as per your instruction and its work fine

Thanks

=====