

## Can't get to Slave site installation

Posted by luked - 2010/01/25 03:18

---

I've watched all the tutorials, read through the manual, and searched through many threads in the forum, but I'm still having trouble. I think I am close though.

Here is the configuration I would like:

Master site:

URL - [www.mydomain.com/master](http://www.mydomain.com/master)

Deployed directory - `public_html/master`

Slave sites:

URL - [www.mydomain.com/slave1](http://www.mydomain.com/slave1)

Deployed directory - `public_html/master/multisites/slave1`

Here is what I have done so far: Create DB for master site

Install Joomla! in `public_html/master` and connect to master DB

Install JMSMultisite 1.2 in master site

Get all patches

Get all updates

Make a new entry in site manager Site ID: slave1

List of domain names: <http://www.mydomain.com/slave1>

In cPanel Redirects I added: [www.mydomain.com/slave1](http://www.mydomain.com/slave1) ->

[www.mydomain.com/master/multisites/slave1](http://www.mydomain.com/master/multisites/slave1)

When I try to go to [www.mydomain.com/master](http://www.mydomain.com/master), the master site displays as expected, but when I go to [www.mydomain.com/slave1](http://www.mydomain.com/slave1), I get "No configuration file found and no installation code available. Exiting...".

When I look at the directories in cPanel File Manager, the installation directory exists in the `multisites/slave1` directory, but the `configuration.php` does not. I have also verified that symbolic links are allowed (I checked the "Settings" in the component). I think that the symbolic links are being added by the component because when I drill down into the `multisites` directory, I get recursive copies of the `multisites` contents. All files and directories on the `multisites` directory are set to 755. I tried changing all to 777, but then I got any "Internal Server Error" when I tried to access the slave site. I put the `hello.php` and `hello.txt` files in the master directory, and I can access them directly, but the redirect does not seem to get there ([www.mydomain.com/slave1/hello.php](http://www.mydomain.com/slave1/hello.php)).

When the component instructs "please review that domains () are mapped to the directory ()", I assumed that this referred to putting a redirect (via cPanel) in place to "map" the URL to the proper deployed folder. I'm not sure though.

I'm assuming this is a permissions problem, but I have tried changing permissions to 777 with no luck. Can some one please make a suggestion?

Thanks,  
Luke D.

=====

## Re: Can't get to Slave site installation

Posted by edwin2win - 2010/01/25 08:26

---

First, if you want to create a slave site into a SUBDIRECTORY like `www.domain.com/slave1` then you don't have to setup the cPanel as the domain is already defined.

Second, it is forbidden to use cPanel redirection because this change the parameters. Only cPanel subdomain, addon domain and park domain can be used.

Finally, you say that you want slave1 in directory "public\_html/slave1" and after you say that you have redirected the slave site into "public\_html/multisites/slave1". This is inconsistent. If you want to have the slave1 into the "public\_html/slave1" you have to specify this path in the JMS deploy folder like "{root}/slave1". Don't forget to create the directory.

So you have to check that the "public\_html/slave1" exists and that you have all the symbolic links present in it. You can also use the "hello.php" in this "public\_html/slave1" to check that you have the correct path and that you can access it.

=====

### Re: Can't get to Slave site installation

Posted by luked - 2010/01/25 21:00

---

Thank you for your reply. With your suggestions, I was able to get everything working. Once I realized that I should not be using redirects to accomplish this, I looked for another solution. By specifying the "Deployed directory" the component was creating symbolic links in my slave site directory. I just needed a way to get from `www.mydomain.com/slave1` to the `public_html/master/multisites/slave1` directory. For this I manually created a symbolic link using SSH and the `ln` command. It works great. Now to work out Virtuemart with multisite.

Thanks again,  
Luke D.

=====

### Re: Can't get to Slave site installation

Posted by edwin2win - 2010/01/25 21:40

---

There is the JMS alias field in the manage site that can do the same. So you can continue deploy the slave site in the {site\_dir} and create an alias in {root}/{site\_id}

=====

### Re: Can't get to Slave site installation

Posted by luked - 2010/01/25 23:04

---

I read about that on another thread. When I tried to use it I couldn't get that field to save, so I decided to try the manual method. I wasn't completely sure how it worked anyway :) Do you have an idea of why I can't get it to save? I clicked the "Save" icon, but when I go back in to edit, the "Create an alias link" field is blank again. The other way works fine, but it would be nice to know if I'm just doing something wrong.

Thanks,  
Luke D.

=====

## Re: Can't get to Slave site installation

Posted by edwin2win - 2010/01/25 23:13

---

No Ideas.

Perhaps you provided a wrong path that cause an error and result by stop processing - I don't know.

You can also directly deploy the slave site into {root}/{site\_id}

=====