

## Slave admin refers to master admin on development

Posted by ludder - 2010/01/25 11:22

---

Hello,

As earlier mentioned

(<http://www.jms2win.com/forum/23-general-questions/3022-slave-admin-area-not-accessible>) I had issues to make JMS work on my localhost. Our system administrator managed to change the development environment URL for me from "http://localhost" to "http://mysite.intern.companyname.com". I can now open the administrator console for my slave site, but when I add an article in my slave site, it is added to the master site.

This problem seems to be related to:

<http://www.jms2win.com/forum/24-joomla-multi-sites-configuration/2755-unable-to-logon-to-admin-area>.

Is there a solution for this?

Thanks,

Tom

---

## Re: Slave admin refers to master admin on development

Posted by edwin2win - 2010/01/25 11:54

---

Read the user manual chapter 9 that give the procedure on how to use JMS on a localhost.

There are also several post in the forum that repeat how to use JMS on a localhost.

In summary, you have to add a parameter in the URL to simulate the slave site and you can not have any slave site with "localhost".

---

## Re: Slave admin refers to master admin on development

Posted by ludder - 2010/01/25 12:57

---

Hi Edwin,

I'm afraid you did not read my post accurately, because I don't work from localhost, but from an intern network which I access from the URL "mysite.intern.companyname.com". Nevertheless I still encounter the issue mentioned above.

Hopefully this is a fix for this?

Tom

---

## **Re: Slave admin refers to master admin on development**

Posted by edwin2win - 2010/01/25 17:30

---

If this is an intranet, this is the same that a localhost.

As you have identified it in another post, I have already replied that when working on a local environment, the HTTP protocol does not fill the information required by JMS.

So the only solution is to use the "localhost" procedure.

This is documented in user manual chapter 9.

JMS is design to work with domain, subdomain or subdirectories.

Not to work on a local intranet. In this case you have to use the "localhost" procedure or try using different http IP adresses for each intranet websites.

There is NO fix for that as this is not possible.

The HTTP protocol does NOT provide the necessary information.

Only the workarround documented in the user manual chapter 9 can be applied.

---

## **Re: Slave admin refers to master admin on development**

Posted by ludder - 2010/01/27 10:23

---

Hi Edwin,

Now I use URL "mysite.intern.companyname.com" in an intranet environment and JMS seems to work OK. The problem mentioned above of entering the wrong admin area was related to shared sessions in one browser. Now I use different browsers for logging on to different admin area's at the same time and that works fine.

Problem solved. Thanks for your time!

Tom

---