

## how to work jms in localhost

Posted by vinod - 2011/03/01 11:58

---

How to setup the jms multisite localhost environment

I can not understand in tutorial chapter 9.

We need to set the virtual host for to make the sub-domains.

Kindly assist me to solve this issue.

=====

## Re: how to work jms in localhost

Posted by edwin2win - 2011/03/01 23:10

---

When working on a localhost, the browser does not send all the information to the server like this is the case when working on Internet.

In chapter 9, we have described a specific procedure that consists in adding the "\_host\_" parameter in the URL.

This parameter is used to enter the domain name that simulate any slave site.

It is mandatory that you don't have ANY slave site defined with a "localhost" URL.

You can put any value but never use "localhost" in any slave site definition.

For example:

Site ID = slave1

Domain = http://slave1

When you enter the URL, put

http://localhost/mytestsite/administrator/?\_host\_=http://slave1

where \_host\_ is the value of the domain that you defined in the slave site.

You can also enter and ignore the http://

http://localhost/mytestsite/administrator/?\_host\_=slave1

=====

## Re: how to work jms in localhost

Posted by vinod - 2011/03/02 06:17

---

How to access the front end of the site. From above point you have mentioned the administrator section then how to access the slave site.

=====

## Re: how to work jms in localhost

Posted by edwin2win - 2011/03/02 09:33

---

The same way, add the `_host_` parameter.

localhost/mytestsite/?\_host\_=slave1

=====