Location on the disk

Posted by lotustechsol - 2013/08/22 08:45

Hi ,

Master site(www.cars.com): The “master site” is the main site which has installed all the extension and JMS1.3.

www.cars.com = /home/cars/public_html

Slave site(www.cars.com/factory): The slave site is the fresh slave created from the master site(www.cars.com), uninstalled some extensions that are not required.

Question:
1)Which pre-existing JMS1.3 template I have to use to create this slave site?
2)How I have to create the directory structure on the disk?
Is it, www.cars.com/factory=/home/cars/public_html/factory?

Now, all the user will come to master site(www.cars.com) and will create the “sites” from the front-end using slave site(www.cars.com/factory)

example of sites created:
www.cars.com/bmw;
www.cars.com/honda
www.cars.com/toyota

Question:
1)What should be directory structure on the disk for the sites created through the front-end?
2)Which pre-existing JMS1.3 templateI have to use to create the sites(www.cars.com/bmw) from the slave site(http://www.cars.com/factory)

Also, in future we may do some changes to master site(www.cars.com). How do i sync those changes to slave site(www.cars.com/factory) and sites created(www.cars.com/bmw)?

Thanks

==========

Re: Location on the disk

Posted by edwin2win - 2013/08/24 11:47

---

1) If you want to duplicate (replicate, clone) the master website into a subdirectory, you have to use the rule

replicMasterSubdir

In other word "Replication of the Master website into a Subdirectory).

2) You don't have to create the directory.
There is a checkbox in the rule that allow creating the directory when it does not already exists.

3) As you cars.com is located on /home/cars/public_html
then yes the subdirectory will be /home/cars/public_html/factory

4) You mentioned that you want to have all the user that come to the master and want to create website from the front-end.

The rule to share the user is
- shareMasterSudir
See also the tutorial video 16
https://www.jms2win.com/en/tutorial#jms12x-16

This rule can NOT be use as such for the website creation from the front-end.
You have to add parameters for that and when sharing the users this become more complex because you can not modify the user logged to provide the Super Admin user - OR this will give the super admin to all the website.

1) The directory structure for a subdirectory is the same as described above.
2) There is no pre-defined rule for the website creation from the front-end.
See the tutorial video 14.b, 14, 13.b, 13 that show how to create website from the front-end.
Those rule present in the video use the replication and not the sharing of the users because you will probably not accept that all the users become super admin of all the websites.
https://www.jms2win.com/en/tutorial#jms13x-14b
https://www.jms2win.com/en/tutorial#jms12x-14
https://www.jms2win.com/en/tutorial#jms13x-13b
https://www.jms2win.com/en/tutorial#jms12x-13

Create website from the front-end that in the same time share the users between the webstie require that you use the "Partial User Sharing" and also have a specific development to automiatically customize the user permission depending on the website.
We already did such kind of specific development for some customer but there is no pre-define rule that do that.

If you don't share the users between the website, you can create a variant of the replicMasterSubdir in which you add the "group" and also ensure that you have a rule for all the (*) in red.
You will have to also add the wait to compute a new site id from the front-end

To create a rule based on the "factory", you can use the "new like" button to create a new rule like the replicMasterSubdir (or shareMasterSubdir) that you will call replicFactorySubdir and where you will change from which website you want to perform the replication.

==========