

Slave domain setup help

Posted by Fierobuff - 2009/06/19 10:22

Can any one assist me with configuring my first slave domain site?

I have been trying to setup my first slave domain site. I was successful with adding Multisites as well as the patches without any issues.

I created my site by adding the following

siteid: MyID
status: confirmed
domain mydomain.com

Again I had no issue.

When I go to my second domain via the web browser I get an "Address cannot be found" error. I verified that I can do a lookup to my site as well as ping it when it is enabled but for whatever reason it won't display on my web page.

I read that apache2 need the a second host in the sites-available file, so I added the following:

```
ServerName MyID.com  
ServerAlias *.MyID.com  
DocumentRoot /var/www/joomla15/multisites/MyID/
```

I was able to restart apache2 with no issues but still I get the same error. My ultimate goal is to have my secondary site use the same plugins as the main site. We own the server so we can create as many databases as we need.

I noticed that if I do www.MyID.com nothing comes up but if I do MyID.com I can see the content of my configuration file. I just don't have a clue how to solve this. I searched high and low on the net but was unable to find a similar situation.

I am at a loss as to what to do next. Any help would be greatly appreciated. I am using Ubuntu Server 8.10 with Apache2, Joomla 1.5.7, and Multisites 1.1.17.

Thank you

=====

Re:Slave domain setup help

Posted by edwin2win - 2009/06/19 12:06

The error is that in apache, you have defined the domain = MyID.com and in JMS you have define my.domain.com
They does not match.

Try to setup correctly your apaches.

To help you, you can use the "hello world" procedure.

Copy the hello.txt and hello.php into the /var/www/joomla15/multisites/MyID/

When done, check that you can reach the hello.txt with `http://mydomain.com/hello.txt` and repeat that with `http://mydomain.com/hello.php`

This will help you check that your apaches is correctly configured.

Based on your current description, to reach the website, the domain = `http://myID.com/hello.txt` that does NOT correspond to the domain name present in JMS.

You can also add in JMS the domain = `myid.com` and `www.myid.com`

When you are sure of the domain name defined in your apaches configuration files using the hello.txt file, you can check that apaches is correctly configured to execute PHP script. Repeat the test with hello.php to ensure you can execute it.

When OK with apaches configuration, come back to JMS and check the domain field to provide the list of domain that must be associated to this site ID. This is the list of domain that you have defined in apaches.

=====